



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SANTIAGO DE CUBA, *June 8, 1901.*

Santiago.—During this period there was a total of 20 deaths reported, making the annual rate of mortality 24.18 per 1,000. The causes of death were the following: Tubercle of lungs, 3; tubercle, abdominal, 1; generalized tubercle, 1; cancer of the uterus, 1; cancer of the breast, 1; anæmia, 1; meningitis, 1; organic diseases of the heart, 1; affections of the arteries, 2; broncho-pneumonia, 1; pneumonia, 1; peritonitis, 1; Bright's disease, 3; senile debility, 1; unspecified causes of death, 1. Total, 20.

On May 29, 1901, the disinfecting barge *Rough Rider* was placed out of commission on account of a leak which was discovered early in the morning. The necessary repairs were immediately made and the barge again placed in commission June 3, 1901.

Guantanamo.—Acting Asst. Surg. Luis Espin reports a total of 9 deaths, due to the following causes: Fever, intermittent malarial, 1; tubercle of lungs, 1; syphilis, tertiary, 1; diarrhea and enteritis, chronic, 3; Bright's disease, 2; congenital debility, 1. Population, 18,000; annual rate of mortality, 26 per 1,000.

Respectfully,

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

Report of treatment of passengers' baggage for the week ended June 1, 1901.—Port of Santiago de Cuba.

[illegible]